



STEEL PLATES HOT ROLLED SCS® †

**Commercial Quality, ASTM A 830
ASTM A 36, ASME SA-36, ASTM A 709 Grade 36**

The SCS process cleans as-rolled (HR) material to produce an extremely clean surface, which approximates a cold rolled finish that also resists rust without oil or preservatives.

Identification Colors: Commercial Quality — No Paint
ASTM A 36 — Green and White

	Size in Inches	Lbs. Per Sq. Ft.	Est. Lbs. Per Foot	CQ	ASTM A 36
3/16	x 48	...7.66	...30.64X
			38.30	X	X
1/4	x 48	...10.21	...40.84XX
			51.05	X	X
			61.26	X	..
5/16	x 60	...12.76	...63.80XX
3/8	x 48	...15.32	...61.28XX
			76.60	X	X
			91.92	X	X
1/2	x 48	...20.42	...81.68XX
			102.10	X	X
			122.51	..	X

For SCS Sheets, see page 34

* Other sizes and grades are available upon request

† A patented process of The Material Works, Ltd.



STEEL PLATES HOT ROLLED HSLAS‡ SCS® †

**Ex-Ten® 50 or ASTM A 572 Grade 50, ASTM A 709 Grade 50
ASTM A 656 Grade 80 Type 7**

The SCS process cleans as-rolled (HR) material to produce an extremely clean surface, which approximates a cold rolled finish that also resists rust without oil or preservatives.

Identification Colors: Ex-Ten or A 572 — Orange and Blue
ASTM A 656 — Green and Blue

	Size in Inches	Lbs. Per Sq. Ft.	Est. Lbs. Per Foot	Ex-Ten or ASTM A 572	ASTM A 656
3/16	x 60	...7.66	...38.30X
1/4	x 48	...10.21	...40.84X
			51.05	X	..
5/16	x 60	...12.76	...63.80X
3/8	x 60	...15.32	...76.60XX
1/2	x 48	...20.42	...81.68XX
			102.10	X	..
			122.52	X	..

For SCS Sheets, see page 34

* Other sizes and grades are available upon request

† A patented process of The Material Works, Ltd.

‡ HSLAS - High Strength Low Alloy Steel

